

Autonomous but Not Alone: Navigating Students through Drug-Related Risk: A Toolkit for School-Based Staff

Mar Kidvai Padilla, MS Ed., MSSW, Training Manager, Cardea Services

Vanessa Sarria, MPA, Chief Program Officer, Cardea Services

Dr. Susan Millea, Interim Executive Director, Children's Optimal Health









Acknowledgments



Acknowledgements

Project Partners:

Thank you to the agencies, staff, and youth who have participated in this project: Children's Optimal Health, TEA Region XIII, Children's Optimal Health, UT Steve Hicks School of Social Work, Travis County Youth Substance Abuse Prevention Coalition, Communities in Schools, RLP Consulting

Contributors:

Lori Holleran Steiker, Ph.D., Professor of Addiction and Substance Abuse Services, Steve Hicks School of Social Work; and Associate Dean, School of Undergraduate Studies, The University of Texas at Austin Dr. Susan Millea, Children's Optimal Health

We acknowledge the contributions of drug users; much of what we know about harm reduction approaches we owe to drug users who have courageously advocated for evidence-based models.

Developed by:

Mar Kidvai Padilla, MS Ed., MSSW, Training Manager, Cardea Services

Vanessa Sarria, MPA, Chief Program Officer, Cardea Services



This publication was funded by the Office of Women's Health in the Office of the Assistant Secretary for Health at the U.S. Department of Health and Human Services. Grant # ASTWH170057-03-01





Thank YOU!

- Children's Optimal Health
- Communities in Schools
- UT Steve Hicks School of Social Work
- TEA Region XIII
- Travis County Youth Substance Abuse Prevention Coalition
- RLP Consulting
- Office of Women's Health



Agenda

- Housekeeping and introductions
- Community of Practice
- Toolkit:
 - Title, Context, Introduction
 - Setting the Tone
 - Confidentiality (Q&A)
 - Breakout practice
 - 5 Minute Break
 - 4 scenarios
 - Resources and referrals (Q&A)
- Close





Housekeeping

- Respect & confidentiality
- Zoom
 - Mute when not speaking
 - Video on (edit name if needed)
 - Polls
 - Chat box
- Technical difficulties: message or email Mary Joncas mjoncas@cardeaservices.org





Introductions

In the chat box, please enter your

- Name
- Credentials
- Pronouns
- Job title/role
- Campus

e.g. Juan Doe, LMSW, LCDC, they/them, CIS counselor at Austin High School





Community of Practice





CoP Training Topics



Opioids



Data/trends



Risk factors, signs of misuse, dangers



Affects on adolescent brain



Protective Factors



Screening Tools



How & when to make a referral



Navigating Resources



MAT Naloxone Bias / Motivational Interviewing



Impacts on girls, women, babies







Title & Context

Autonomous but Not Alone: Navigating Students through Drug-Related Risk

A Toolkit for School-Based Staff



The Toolkit stresses the importance of building relationships and using a harm reduction approach to help empower youth to avoid and reduce risk.





Introduction to Toolkit

The Toolkit seeks to provide method of approaching conversations that can be personalized to meet youth where they are at.







Introduction to Toolkit




Risk is mediated by

- youth's brain development
- social/financial access
- method of acquiring the drug
- frequency of use





Multi-Tiered Systems of Support (MTSS)









Setting the Tone

Avoid prescribing courses of action or using fear to motivate youth.



Goal is to:

- Allow students' priorities to drive conversation
- Recognize what is working
- Help youth think ahead and develop their own plans





Setting the Tone

Rather than say

"the police could lock you up if you keep down this path",

we might acknowledge, for example,

"youth of color are more often stopped and frisked",

then ask

"how do you keep yourself safe?"





School Context



- Compliance with District Policy
 - Health, Mental Health, Discipline
 - Campus Practices
- Harm Reduction
- Consent and Confidentiality

Resources

- TX Health Steps Adolescent Health Provider Guide 2016
- TX Teen Consent/Confidentiality Training (CEU)
- TX DSHS Laws for Adolescent Health Screening (2011)





Confidentiality

By law I must share any information that leads me to believe you are a harm to yourself, others or that you are facing neglect or abuse from caretakers. From here on out, if you tell me specifics I will take it to mean you are asking for outside help. If you believe you are in danger in any way I want to get you the help you need.

Can you give me some examples of things I need to report?





Confidentiality

If you prefer to talk hypothetically that works too, for example: "if 'x' were happening, what would someone do?"

Or feel free to talk about risks your friends or family may be experiencing - sometimes it is easier to focus on the health and well-being of people we care about.





Breakout Practice #1: Confidentiality

- In pairs, practice using the language provided
- One person will be the staff member, the other person will be the student
- You will have 5 minutes in each role (10 mins total)





Q&A





5 Minute Break





Riding & Driving

Crashes are the <u>leading</u> <u>cause</u> of teen death.



8 Primary Precursors

- I. Driver inexperience
- 2. Driving with teen passengers
- 3. Nighttime driving
- 4. Not using seat belts
- 5. Distracted driving
- 6. Drowsy driving
- 7. Reckless driving
- 8. Impaired driving





Riding & Driving

Would you like to role play what you can say if you aren't comfortable driving or getting in a car with someone else?

What's the *smartest thing* you've done to avoid a crash?

What's the worst case scenario you personally might be in, and how might you prevent it realistically?

What are a few things you live for?





Breakout Practice #2: Riding & Driving

- In pairs, practice using the language provided
- Only one person will be the staff member, the other will be the student (no switching)
- You will have 5 minutes in total





Teach youth active listening skills to help them communicate with peers!



Encourage youth to think about the dynamics of raising the issue:

- Are you in the middle of a fight?
- Are you in a private place when you have time to talk?
- What could happen if your social media or texts are screenshot?





In having conversations with friends, remind youth to:

- Focus on using "I" statements.
- Don't get defensive.
- Remain calm and curious.
- Don't try and control their friend, and ask open-ended questions.
- Encourage youth to think about the dynamics of raising.





Instruct students on how to use MI techniques:

It works like this:

- listen without interrupting (no matter what),
- then sum up what you've heard - to give your friend a chance to confirm.

After, try these phrases:

- "Am I right that you're feeling ___?"
- "On the one hand _____,
 but on the other hand
 ."
- "What do you need? How can I help?"





Practice having conversations with youth.

So people around you are drinking/using drugs.

- How do you feel about that?
- Why do you think they are using?
- How has it helped them?
- How has it hurt them? Anything they could do instead?
- Some youth don't use, why do you think they don't?
- You make choices everyday—what guides your decisions and what do you have to weigh?
- Ever been in a situation you wish you had handled differently?
- Want to brainstorm alternatives with me?







Breakout Practice #3: Youth Worried for a Friend

- In pairs, practice using the language provided
- Only one person will be the staff member, the other will be the student (no switching)
- You will have 5 minutes in total





Resistance arises as a normal, expected product of difficult dialogues.

When resistance emerges, there are good reasons the client is not ready to change in the way we are asking.







It might be hard, but avoid using the following:

I. persuasion: "you should/can't..." and

2. the reflex to fix: "have you tried x, y, z". Instead ask what they've already tried and what they think they should or can't do.





If you're met with resistance:

- Respect and roll with it
- Apologize as necessary
- Always demonstrate empathy and avoid argumentation
- Shift the conversation (for example: away from feelings toward a plan, or vice versa!)
- Express that the client is the expert of their own life experience





- I'm glad you are here. Others are concerned—what about your behavior do you think concerns them?
- I can understand why you've been making those choices.
- It seems you've been working to find ways to cope and feel better. What are the payoffs and downsides?
- I believe in your power to make changes. When have you been able to do it differently?
- What's one small change you can make to help the situation?
- How can I support?





Breakout Practice #4: Conflicts

- In pairs, practice using the language provided
- Only one person will be the staff member, the other will be the student (no switching)
- You will have 5 minutes in total





Engaging Reluctant Youth

Pages 10-11 of the Toolkit addresses:

 Working with students that are severely impaired,



- If a student tells you they blacked out/passed out and after taking a substance.
- Receiving an incoherent text or voicemail from a student that you suspect was left while under the influence, and
- Talking with parents.





Engaging Reluctant Youth



Students sometimes find school or therapeutic settings to be places where they feel tempted or compelled to be under the influence due to availability, social pressure, challenging academic expectations, buffers from emotions or intimacy, or other stressors.

It is best to acknowledge, in a nonjudgmental way:

"You seem to be more _____ than usual and I wonder if you are under the influence of any substances right now?"





Engaging Reluctant Youth

Youth will often be able to observe more and talk more about others rather than themselves.

I'm glad that you have not had any noticeable problems related to your use. People who use without consequences can sometimes find that their use either becomes more frequent, or that they stop hanging out with the same friends or doing activities that used to bring them joy.

- If it was becoming problematic for you, what might that look like?
- Do you know anyone that uses who ran into difficulties with their use?





Breakout Practice #5: Engaging Reluctant Youth

- In pairs, practice using the language provided
- Only one person will be the staff member, the other will be the student (no switching)
- You will have 5 minutes in total





Resources



Youth often seek resources online.

Help them discriminate between non-credible and credible harm reduction sources

Information on drugs

- https://www.drugpolicy.org/drug-facts
- https://www.drugwise.org.uk/drugsearch-encyclopedia/
- https://harmreduction.org/issues/drugs-drug-users/drug-information/


Drug interactions

https://www.drugs.com/drug_interactions.html





Partnership to End Addiction: Parent Helpline



https://drugfree.org/get-support-now/





Making the Referral

- <u>Bluebonnet Trails Community Services</u> is a Central Texas-based drug treatment program for youth, which may be a good place for many school staff to begin their search for referral services. They also have a 24-hour Crisis Hotline: **I-800-841-1255**.
- Integral Care is an Austin-based organization providing a variety of services for adults, children and families. Reach their 24-7 Helpline: 512-472-4357.
- Austin Recovery Network is a nonprofit addiction treatment and support system of care. Services include adolescent peer-to-peer support and a recoveryfocused high school. https://austinrecoverynetwork.org/





Making the Referral

- Call 211 for assistance locating a referral or resource.
- Aunt Bertha is a social service directory.
 - Type in your zip code,
 - Select "Health",
 - Select "Addiction & Recovery",
 - Set your "Personal Filters" to "Teens" to narrow your search.





Referrals

Use the Substance Abuse and Mental Health Services Administration (SAMHSA) Behavioral Health Treatment Services Locator.

Or call I-800-662-HELP to tap into a support network where you can find immediate and confidential assistance 24/7. They can also direct you to local treatment options.





Resources & Referrals

SUPPORT GROUPS

Alcoholics Anonymous
Central Texas Area Narcotics Anon.
Sage Recovery & Wellness
Communities for Recovery
North Austin Foundation
Lifering Secular Recovery
SMART Recovery
Texas Students for Recovery

TREATMENT

LOCAL MENTAL HEALTH
AUTHORITIES*

Integral Care

Bluebonnet Trails CS

* Contracted by Texas HHSC for public mental health, SUD, and MAT.

COUNSELING

Austin Center for Grief & Loss
Capital Area Counseling
Christi Center
Community Care Clinic
Lifeworks
LoneStar Circle of Care
Phoenix House
Sol Counseling
YWCA

DETOX & TREATMENT

Austin Recovery
Bluebonnet TCS
Cenikor
Christian's Farm Treehouse
Clean Investments, Inc.
Georgetown Behavioral Health
Integral Care
Right Step
Texas Star Recovery (Nero)





University High School

- Sober high school in Austin, Texas, for 9th thru 12th grade students in recovery from a substance abuse disorder who are committed to remaining abstinent from alcohol and other drugs.
- Engages teens and their families in journey to recovery.
- High quality, accredited academics that include dual-credit courses and credit recovery.
- Member of Association of Recovery High Schools
- Email <u>info@uhighschool.com</u> or call 512-382-0072.





Overdose Prevention with Naloxone

Training and continuing education credits available on overdose prevention and response education to students, health professionals, and the public to combat the opioid crisis using harm reduction strategies.

- Operation Naloxone Inter-professional collaboration from faculty and students at The University of Texas at Austin <u>College</u> of <u>Pharmacy</u>, <u>Steve Hicks School of Social Work</u>, and <u>Texas</u> <u>Overdose Naloxone Initiative</u> (TONI).
- Communities for Recovery Train the Trainer Naloxone Training





Q & A





Contact Information

Vanessa Sarria, MPA
Chief Program Officer
vsarria@cardeaservices.org
www.cardeaservices.org
@CardeaServices

Mar Kidvai Padilla, MS Ed., MSSW
Training Manager
mpadilla@cardeaservices.org
www.cardeaservices.org
@CardeaServices